

TROY MICR 806 PRINTER FEATURES

HP AUTHORISED - TROY ENHANCED

3-Position Printer Key Locks and Paper Tray Locks

Most businesses locate the workgroup printer in an open office environment. This creates a security risk. TROY offers MICR locks and paper tray locks to reduce the risk of check stock theft and printer misuse.

Standard on TROY MICR 806 Secure & Secure Ex Optional on MICR 806 printers

Exclusive Troymark™ Intelligent Anti-tampering Technology

TROYmark™ is a watermark of user-defined variable data, printed diagonally across each check. It provides state-of-the-art deterrence of fraudulent check alteration.

Standard on TROY MICR 806 Secure Ex

ExPT™ Exact Positioning Technology

A MICR line out of alignment is one cause of rejected checks, a multimillion dollar problem for banks and companies. ExPT™ allows users to precisely adjust the MICR line with- out affecting the data file.

Available on all TROY MICR 806

Built-in Secure Encryption and Decryption

Data security is critical in a distributed printing application. TROY's encryption/ decryption technology "unlocks" and prints the data only when it is received at the TROY printer.

Standard on TROY MICR 806 Secure & Secure Ex printers

COMPLETE THE SOLUTION

CheqXpress Software

CheqXpress is a Windows based desktop application that is easy to use, and provides a cost effective means of printing cheques securely onto blank security paper in a user controlled manner or in an automated manner on server based/hosted environments. Combined with a Secure laser printer, CheqXpress is one of the most innovative and secure cheque printing systems available today.

Troy MICR Security Toner


A patented formula helps deter fraudulent alteration by releasing a red dye when chemical removal of toner is attempted with a solvent.

Troy MICR Toner

In new OEM cartridges, this high quality MICR will not void manufacturer's warranty.

Cheque Paper

With a full selection of cheque stock to choose from, ChequeWrite can be your one stop solution for all of your cheque printing needs.



CALL NOW
01628 30 12 30
or
EMAIL

sales@chequewrite.com

TROY MICR 806 PRINTER FEATURES	SecureEX	Secure	MICR
TROY ExPT™ — Exact Positioning Technology	✓	✓	✓
MICR Toner Sensing	✓	✓	
Disable Jam Recovery	✓	✓	✓
Auto Set MICR Density	✓	✓	✓
MICR Toner Low Notification	✓	✓	✓
Flash Memory for Storing Digital Signatures and Logos	✓	✓	✓
Barcode Fonts U.P.C. A&E, EAN 13&8, Interleaved 2 of 5, Code 39, Code 128, Postnet	✓	✓	✓
MICR Fonts E13-B, CMC-7, OCR A and B Convenience and Security Fonts	✓	✓	✓
User Customizable MicroPrint Font	✓	✓	✓
Datastream Paper Tray Locks and Mapping	✓	✓	✓
Auto Page Rotation	✓	✓	✓
MICR Menu Administrator Password	✓	✓	✓
MICR Quality Test Page	✓	✓	✓
Uses both TROY MICR & HP Standard Toner Cartridges	✓	✓	✓
PIN-activated Controls: Printer, MICR, Job	✓	✓	✓
TROY Enhanced Audit	✓	✓	
MICR Line and Check Audit Trail Reporting	✓	✓	
Datastream Encryption and Decryption	✓	✓	
Password Protected Signatures and Logos	✓	✓	
3-Position Keylock Printing Control	✓		
TROYmark™ Intelligent Anti-Tampering Technology	✓		
Paper Tray Security Locks	✓	Optional	Optional
Auto Protect Font	✓	✓	✓

PRINTERS			
Part Number	Description - 220Volt	#Trays/#Sheets Each/#locks	Shipping Dimension & Weight
01-04910-202	TROY 806DN MICR Printer	2 / 500 / No Lock	35x31x39 - 90kg
01-04910-222	TROY 806DN MICR Printer	2 / 500 / 2	35x31x39 - 90kg
01-04920-202	TROY 806DN MICR Secure Printer	2 / 500 / No Lock	35x31x39 - 90kg
01-04920-222	TROY 806DN MICR Secure Printer	2 / 500 / 2	35x31x39 - 90kg
01-04930-222	TROY 806DN MICR Secure Ex Printer	2 / 500 / 2	35x31x39 - 90kg
CARTRIDGES			
Part Number	Description	Page Yield*	Shipping Dimension & Weight
02-88000-001	TROY MICR Toner Secure	35,000	25x17x9 - 5.9kg
02-88005-001	TROY UV MICR Toner	35,000	25x17x9 - 5.9kg
02-88006-001	TROY UV Toner	35,000	25x17x9 - 5.9kg
* based on 5% coverage			

TROY MICR 806 PRINTER GENERAL SPECIFICATIONS

Print Speed Black, A4: ISO/Best Quality	up to 55ppm (based on 5% letter coverage)
First Page Out	As fast as 8.5 sec from Ready Mode
Processor	800 MHz
Paper Trays, Std	3
Paper Trays, Max	5
Input Capacity, Std	1,100 (two 500-sheet trays, 100-sheet multi-purpose)
Input Capacity, Max	4,600 Sheets
Output Capacity, Std	600 sheets (20 lb bond)
Output Capacity, Max	3,000 sheets (with optional stapler/stacker accessories)
Envelope Input	Std 10
Envelope Feeder	No
Two-Sided Printing	Automatic (standard)
Prints Color	No
Print Quality, Black Best	Up to 1200 x 1200 dpi
Print Resolution Technology	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement Technology
Print Languages, Std	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, native PDF printing (v 1.4)
Display Type	4.3-inch touchscreen, LCD (color graphics, 480 x 272)
Duty Cycle, Monthly	Duty Cycle, Monthly Up to 300,000 pages A4
Recommended Monthly Volume	10,000 to 50,000 pages
Media Types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough), labels, cardstock, transparencies.
Media Sizes, Std	Tray 1: Letter, legal, executive, 11 x 17, 12 x 18, 8.5 x 13; envelopes (No. 10); Tray 2, 3: letter, legal, executive, 11 x 17, 8.5 x 13; Optional High Capacity Input Tray Letter
Media Sizes, Std, Metric	Tray 1: A3, A4, A5, RA3, B4, B5, 8k, 16k, postcards (JIS double), envelopes (DL, C5, B5); Tray 2,3: A3, A4, A5, RA3, B4, B5; Optional High Capacity Input Tray A4
Media Sizes, Custom	Tray 1: 3.86 x 7.52 to 12.28 x 18.5 in; Tray 2, 3: 5.83 x 8.27 to 11.69 x 17.0 in; Optional High Capacity Input Tray 8.5 x 11 in
Media Sizes, Custom, Metric	Tray 1: 98 x 191 to 312 x 470 mm; Tray 2, 3: 148 x 210 to 297 x 431.8mm; Optional High Capacity Input Tray 210 to 297mm
Media Weights	Tray 1: 16 to 58 lb (bond); Tray 2, 3: 16 to 53 lb (bond); Optional High Capacity Input Tray 16 to 53 lb (bond)
Media Weights, Metric	Tray 1: 60 to 220 g/m ² ; Tray 2,3: 60 to 199 g/m ² ; Optional High Capacity Input Tray 60 to 199 g/m ²
Connectivity, Std	2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network, Foreign Interface, Hardware Integration Pocket, 2 Internal USB Host
Memory, Std	1 GB
Memory, Max	1.5 GB
Hard Disk Drive	None
Power Supply	Built-in power supply
Power Supply Required Input Voltage	220 volts
Power Consumption	1000 watts (Printing), 38 watts (Ready), 6.5 watts (Sleep 1), 2.2 watts (Auto On/Auto Off), 0.3 watts (Off)6
Typical Electricity Consumption (TEC)	4.0 kWh/Week
ENERGY STAR® Qualified	Yes
Printer Weight	76.1 Kg
Printer Dimensions (W x D x H)	1390 x 648 x 655 mm (max), 95 x 648 x 635 mm (min)



Call Now

01628 30 12 30

or Email

sales @chequewrite.com